



## Hyundai 65159 Silenced Generator 5.5KW

Reference: 65159

### Hyundai 65159 Silent Power Generator

**Hyundai 65159 Silent Power Generator** is a portable, compact and high-performance inverter generator, ideal for powering lights, fans, small appliances and camping appliances.

Equipped with **inverter technology**, it automatically adjusts the power based on the required load, reducing fuel consumption and ensuring silent and efficient operation.

The generator features an alternator with 100% copper winding, ensuring greater durability over time and a superior quality of the sine wave generated.

Thanks to its **portability** (net weight 39 kg, dimensions 590x390x574 mm) and the **handle integrated**, it is easily transportable anywhere.

It includes 1x16A + 1x32A sockets, 11 HP power, and is designed for ATS KIT (code 65140) and parallel connection (code 65145) to increase the available power.

#### Technical Features Hyundai 65159:

Phase type: Single Phase

Single Phase Maximum Power (kW): 5.5

Rated Power (kW): 5.0

Frequency (Hz): 50

Voltage (V): 220V / 50 Hz

Voltage: Automatic

Engine Speed ??(rpm): 4800

Starting: Electric

Displacement (cm<sup>3</sup>): 223

Oil capacity (L): 0.7

Tank capacity (L): 11

Autonomy (h): 4

Weight (kg): 39

Product dimensions (mm): 590 x 390 x 574

Socket configuration: 1x16A + 1x32A

Power (HP): 11

Alternator: 100% Copper

Are you looking for a Hyundai generator with different technical characteristics? [HERE](#) you can find the area dedicated to HYUNDAI generators or other specialized brands.

Images and technical data are not binding. Please always consult the technical data sheet issued by the manufacturer. Manel service does not assume responsibility for any changes made by the manufacturer.

## Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	5.5
Frequency (Hz)	50
Voltage (V)	220V / 50 hz
Sockets configuration	1x16A + 1x32A
Engine rpm (rpm)	
Starting system	Elettrico
Engine capacity (cm <sup>3</sup> )	223
Oil capacity (L)	0.7
Alternator	100% copper
Tank capacity (L)	11
Product dimensions (mm)	590 x 390 x 574
Running time (h)	4
Weight (Kg)	39

---

Voltaggio	Automatic
Nominal Power Kw	5.0
protezione da sovratensione	11

---